

MATERIAL SAFETY DATA SHEET

SECTION I - MANUFACTURER IDENTIFICATION

ALLSTATES COATINGS COMPANY

**100 N. LEE DRIVE
GLADEWATER, TEXAS 75647**

INFORMATION PHONE: (903) 845-6436

EMERGENCY PHONE: (800) 424-9300

PREPARED BY: CHAD PAYTON

DATE REVISED: 12/31/11

SECTION II - PRODUCT IDENTIFICATION

PRODUCT NAME: Rust Guard

PRODUCT CODE: ALT-660*

SECTION III - HAZARDOUS INGREDIENTS / SARA III INFORMATION

HAZARDOUS COMPONENTS	CAS #	OSHA PEL mg/M3	ACGIH TLV mg/M3	% (OPT)
Asphalt Residual	08052-42-4	5.0	5.0 (fume)	<65.00
Calcium Carbonate	471-34-1	15 total (Dust) 5 Resp. Fraction	10.0 (Dust)	<10.00
Carbon Black	1333-86-4	3.5	3.5	<2.00
Health: 1	Flammability: 0	Reactivity: 0	Ratings based on NFPA	

SECTION IV - PHYSICAL / CHEMICAL CHARACTERISTICS

BOILING POINT: 212°F

SPECIFIC GRAVITY (H₂O=1): 1.23

VAPOR PRESSURE (mm Hg): NA

MELTING POINT: NA

VAPOR DENSITY (AIR=1): Heavier

EVAPORATION RATE (Butyl Acetate=1): NA

SOLUBILITY in WATER: Soluble

APPEARANCE and ODOR: Black, Grey - Pungent Odor

SECTION V - FIRE AND EXPLOSION HAZARD DATA

FLASH POINT (Method Used): NA

FLAMMABLE LIMITS: LEL: NA UEL: NA

EXTINGUISHING METHOD: Water, all purpose (ABC) dry chemical, CO₂ foam.

SPECIAL FIRE FIGHTING PROCEDURES: Although this material will not burn, if it is in the fire area, an approved, self-contained breathing apparatus should be worn to prevent exposure to thermal decomposition products and residual monomers.

UNUSUAL FIRE AND EXPLOSION HAZARDS: Although this material is non-flammable, vapors can collect above the liquid in closed containers and storage vessels which may flash if exposed to an ignition source.

SECTION VI - REACTIVITY DATA

CONDITIONS TO AVOID: Avoid heat, sparks or open flame.

INCOMPATIBILITY (MATERIAL TO AVOID): Any strong oxidizing agents.

HAZARDOUS POLYMERIZATION: Will not occur, avoid heat, sparks, open flames and contact.

STABILITY: Stable.

SECTION VII - HEALTH HAZARD DATA

CARCINOGENICITY: NTP? No **IARC MONOGRAPHS?** No **OSHA REGULATED?** No

SIGNS and SYMPTOMS of EXPOSURE:

EYES: Severe irritation, redness, tearing

SKIN: Prolonged or repeated exposure can cause moderate irritation, defatting and dermatitis

INHALATION: May cause dizziness, headache, nausea.

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: Individuals with chronic respiratory disorders may be adversely affected by any fume or airborne particle matter exposure.

EMERGENCY and FIRST AID PROCEDURES:

INHALATION: Remove from contaminated area. If breathing is difficult, give oxygen. If breathing stops, give artificial respiration - Call Physician.

INGESTION: If conscious give 1 to 2 glasses of milk or water, induce vomiting and call a physician. **NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.**

EYES: Immediately flush with water for at least 15 minutes holding eyelids open. Call a physician if irritation develops.

SKIN: Remove contaminated clothing and launder before reuse. Wash skin with soap and water.

SECTION VIII - PRECAUTIONS FOR SAFE HANDLING AND USE

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Remove all ignition sources. Avoid breathing vapors. Open all windows and doors. Keep out of sewers and water sources. Advise proper authorities.

WASTE DISPOSAL METHODS: As provided under Resources Conservation and Recovery Act (RCRA), and in accordance with Federal, State and Local Regulations.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING: Keep containers closed when not in use. Do not handle or store near heat, sparks or open flame or strong oxidants.

OTHER PRECAUTIONS: Avoid breathing vapors. Avoid prolonged or repeated skin contact.

SECTION IX - CONTROL MEASURES

RESPIRATORY PROTECTION: Use a NIOSH approved respirator.

VENTILATION: Must be adequate, use local exhaust as needed.

PROTECTIVE GLOVES: Use rubber gloves as needed.

EYE PROTECTION: Use goggles or face shield.

OTHER PROTECTIVE CLOTHING or EQUIPMENT: As needed to avoid skin contact.

WORK / HYGENIC PRACTICES: Wash skin and exposed clothing thoroughly with soap and water after use.

Disclaimer: Information in this MSDS and Environmental Data Sheet was obtained from sources which we believe are reliable. However, the information is provided without any representation or warranty, expressed or implied, regarding its accuracy or completeness.